

440-TX

Industrial Alkaline Cleaner & Degreaser

WHAT IS 440-TX?

A fortified heavy duty butyl based spray cleaner for removal of heavy grease and oils from surfaces. Penetrates deep into surfaces from vinyl siding to painted walls, masonry, brick, ceramic tile, and stainless steel to remove stains. Contains no acids, petroleum hydrocarbons, or amines. This product is great to use on equipment, concrete and surfaces where mechanical grease is a problem. Emulsifies immediately for quick and easy removal.

BENEFITS:

- Fortified with butyl and caustic to emulsify heavy grease and oil.
- Removes grease, heavy soils, and almost any stubborn stains.
- Can handle the toughest cleaning and degreasing jobs.
- Can be used to clean heavy and weathered machinery.
- Makes a great floor cleaner.
- Highly versatile in usage and dilutions.
- Can be applied through sprayers, by hand, or through pressure machines.

Available Packages	
1087 Bulk	Bulk Tank Program
1087-55	55 Gallon Plastic Drum
1087-5	5 Gallon Plastic Pail

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended dilutions are 10-60:1. Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

- Do not allow to dry on surfaces.
- Do not use in hot sun.
- Always predilute product before applying.
- Do not use on unprotected polished aluminum.
- May cause streaking if not used properly.

Tech Specs:

Color.....	Blue
Fragrance.....	Citrus Fruit
Form.....	Liquid
pH.....	13.5-14
Specific Gravity.....	1.05
Biodegradable.....	100%
Shelf Life.....	1 Year

Safety Brite

Heavy Duty Fortified Industrial Cleaner

WHAT IS SAFETY BRITE?

This heavy duty alkaline pressure wash detergent contains special penetrating, chelating, wetting, grease cutting, and rinsing agents, which quickly penetrate soils and remove them. Safety Brite easily removes exhaust deposits, road film, dirt and most salt residue from painted vehicle surfaces. Great for heavy machinery and on-site cleaning of soiled concrete.

BENEFITS:

- Quick penetration of oils, grease and dirt
- High foaming and economical.
- Contains protectants to prevent corrosion to metals.
- Contains sequestering and chelating agents to scale buildup.
- Safe for use on non painted surfaces.

Available Packages	
1086 Bulk	Bulk Tank Program
1086-55	55 Gallon Plastic Drum
1086-5	5 Gallon Plastic Pail

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended dilutions are 50-100:1. Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

RECOMMENDED USES:

- Heavy Duty Equipment
- Refuse Vehicles
- Cleaning Soiled Concrete Surfaces

Do not allow to dry on surfaces.

Do not use in hot sun.

Always predilute product before applying.

Do not use on unprotected polished aluminum.

May cause streaking if not used properly.

Tech Specs:

Color.....	Red
Fragrance.....	Odorless
Form.....	Liquid
pH.....	13.5-14
Specific Gravity.....	1.04
Biodegradable.....	100%
Shelf Life.....	1 Year

Bio-Clean

Quick Release Surface Cleaner

WHAT IS BIO-CLEAN?

A product of carefully blended low foaming, fast acting surfactants combined with a maximum of low pH alkaline ingredients, selected for the best possible cleaning capability. This highest quality industrial cleaning formula will achieve maximum results when used. Bio-Clean is great for use in wastewater treatment systems.

BENEFITS:

- Low pH
- Non-Emulsifying
- Versatile enough for wash water systems.
- Formulated for the cleaning professional
- Special quick rinsing formula

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

RECOMMENDED USES:

- Wash Water Treatment Systems
- Washing Equipment & Machinery

Available Packages	
2330/2331 Bulk	Bulk Tank Program
2330/2331-55	55 Gallon Plastic Drum
2330/2331-5	5 Gallon Plastic Pail

Tech Specs:

Color.....	Purple
Fragrance.....	Odorless
Form.....	Liquid
pH.....	10
Specific Gravity.....	1.05
Biodegradable.....	100%
Shelf Life.....	1 Year

Hydro Wash

Aluminum Safe Parts Wash Detergent

WHAT IS HYDRO WASH?

A new type of product which encourages oil and grease to “split” to the top of the containment vessel after use. HydroWash is specially formulated to clean metal parts without the aid of hazardous solvents or other hazardous materials and when used as directed, will remove heavy grease and grime without harming metal or painted parts. HydroWash has been specially formulated to be low foaming for use in industrial mechanical spray wash machines.

BENEFITS:

- Special heavy duty formula for deep penetration of grease and oils.
- Low foaming for use in rotary and mechanical spray wash machines.
- Will not harm metals or painted parts, or aluminum.
- Promotes splitting of oils for enhanced clean up.
- Contains special buffering ingredients to protect metals against corrosion.
- This product is 100% biodegradable for easy disposal.
- Designed specifically for the cleaning professional.

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Dilute with up to 20 parts water for cleaning armatures and generators.

Dilute with 20-40 parts water if using on aluminum parts. Use more concentrated for heavily soiled machine parts. Blow dry with compressed air.

Available Packages	
6371 Bulk	Bulk Tank Program
6371-55	55 Gallon Plastic Drum
6371-5	5 Gallon Plastic Pail

Tech Specs:

Color.....Clear
 Fragrance.....Faint
 Form.....Liquid
 Phosphates.....None
 Flash Point.....212F
 pH.....9-9.5
 Specific Gravity.....1.01
 Viscosity.....Thin
 Foam.....Low
 Biodegradable.....100%
 Shelf Life.....1 Year