

440-TX

Industrial Alkaline Cleaner & Degreaser

WHAT IS 440-TX?

A fortified heavy duty butyl based spray cleaner for removal of heavy grease and oils from surfaces. Penetrates deep into surfaces from vinyl siding to painted walls, masonry, brick, ceramic tile, and stainless steel to remove stains. Contains no acids, petroleum hydrocarbons, or amines. This product is great to use on equipment, concrete and surfaces where mechanical grease is a problem. Emulsifies immediately for quick and easy removal.

BENEFITS:

- Fortified with butyl and caustic to emulsify heavy grease and oil.
- Removes grease, heavy soils, and almost any stubborn stains.
- Can handle the toughest cleaning and degreasing jobs.
- Can be used to clean heavy and weathered machinery.
- Makes a great floor cleaner.
- Highly versatile in usage and dilutions.
- Can be applied through sprayers, by hand, or through pressure machines.

Available Packages	
1087 Bulk	Bulk Tank Program
1087-55	55 Gallon Plastic Drum
1087-5	5 Gallon Plastic Pail

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended dilutions are 10-60:1. Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

Do not allow to dry on surfaces.

Do not use in hot sun.

Always predilute product before applying.

Do not use on unprotected polished aluminum.

May cause streaking if not used properly.

Tech Specs:

Color.....Blue
Fragrance.....Citrus Fruit
Form.....Liquid
pH.....13.5-14
Specific Gravity.....1.05
Biodegradable.....100%
Shelf Life.....1 Year

Safety Brite

Heavy Duty Fortified Industrial Cleaner

WHAT IS SAFETY BRITE?

This heavy duty alkaline pressure wash detergent contains special penetrating, chelating, wetting, grease cutting, and rinsing agents, which quickly penetrate soils and remove them. Safety Brite easily removes exhaust deposits, road film, dirt and most salt residue from painted vehicle surfaces. Great for heavy machinery and on-site cleaning of soiled concrete.

BENEFITS:

- Quick penetration of oils, grease and dirt
- High foaming and economical.
- Contains protectants to prevent corrosion to metals.
- Contains sequestering and chelating agents to scale buildup.
- Safe for use on non painted surfaces.

Available Packages	
1086 Bulk	Bulk Tank Program
1086-55	55 Gallon Plastic Drum
1086-5	5 Gallon Plastic Pail

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended dilutions are 50-100:1. Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

RECOMMENDED USES:

Heavy Duty Equipment
Refuse Vehicles
Cleaning Soiled Concrete Surfaces

Do not allow to dry on surfaces.

Do not use in hot sun.

Always predilute product before applying.

Do not use on unprotected polished aluminum.

May cause streaking if not used properly.

Tech Specs:

Color.....Red
Fragrance.....Odorless
Form.....Liquid
pH.....13.5-14
Specific Gravity.....1.04
Biodegradable.....100%
Shelf Life.....1 Year



BIODEGRADABLE GRAFFITI REMOVER for MASONRY!

TAGINATOR® sprayable liquid quickly dissolves graffiti. **TAGINATOR®** has a pleasant *fresh and clean scent*. **TAGINATOR®** soaks through graffiti into masonry surfaces. *Deep rinse additive* allows graffiti to be easily pressure rinsed out of masonry pores. **TAGINATOR®** will easily remove multi-layered graffiti or graffiti that has been painted over! **TAGINATOR®** is so *effective* the need to pre-coat masonry with sacrificial or permanent coatings is not necessary.



- Remove multi-layered and painted over graffiti!
- Works in all climates (hot & cold) and surfaces (wet & dry)!
- **MAKES BARRIER COATINGS OBSOLETE!**



Works on:


Brick • Cinder Block • Slate • Marble • Granite • Stucco • Terra Cotta • and many other surfaces!

Preferred by:

Public Works • Housing Authority • Parks/Forests • Highways & Mass Transit • School Systems

Just follow these *simple steps*:

1. Spray **TAGINATOR®** onto graffiti using **TAGSPRAYER™**.



Watch as **TAGINATOR®** breaks down graffiti

2. Let **TAGINATOR®** soak into masonry for up to **30** minutes.



TAGINATOR® soaks deep, through the multi-layered graffiti.

3. High pressure rinse away.



TAGINATOR® fully restores masonry after pressure rinse.



TAGSPRAYER™ - 2 Gallon Compression Sprayer for Taginator

A graffiti removal product such as **TAGINATOR®** requires an applicator that can withstand the chemical combinations it contains.

ETS Co. has designed a sprayer specifically for use with **TAGINATOR®**. See **TAGSPRAYER™** literature sheet.

McHenry
PRESSURE CLEANING SYSTEMS



SALES • SERVICE • RENTALS

www.mchenrypcs.com

FREDERICK, MD (301) 663-4683 (800) 221-6905

BIODEGRADABLE GRAFFITI REMOVER



Works great on:

- Smooth Surfaces
- Lockers
- Trash Bins
- Street Signs
- Commercial Vehicles
- Painted Masonry
- Aluminum Surfaces
- Railroad Cars
- Postal Boxes
- Glass & Wood
- Public Bathrooms

Preferred by:

- Public Works
- Housing Authorities
- Parks/Forest
- Highway Authorities
- Mass Transit Authorities
- School Districts
- Municipalities
- Trucking Companies
- Military Bases
- Shopping Malls
- U.S. Postal Office
- Vending Machine Companies

WORKS ON:

PAINTED AND SMOOTH SURFACES!

Just follow these *SIMPLE* steps:

1. Spray **TAGAWAY®** onto the graffiti.
2. Let **TAGAWAY®** soak 10-15 seconds.
Soak time will vary according to the type of graffiti and the surface it is on.
3. Wipe away graffiti with towel.



CALL US TODAY FOR MORE INFORMATION!

Read Product Label and M.S.D.S. for proper handling and use

McHenry
PRESSURE CLEANING SYSTEMS



SALES • SERVICE • RENTALS

www.mchenrypcs.com

FREDERICK, MD (301) 663-4683 (800) 221-6905

Pro Scrub

Heavy Duty Floor Cleaner & Degreaser

WHAT IS PRO SCRUB?

A heavy duty caustic fortified low foaming floor cleaner that is perfect for removing the toughest soils. It has been fortified with cutting edge low foaming detergents and sodium hydroxide giving it the ability to cut through the heavy grease and soil deposits. Great for use in auto body and mechanic shop floors to remove the heaviest of buildup. This versatile product can be used in a wide variety of applications, ranging from auto scrubbers to mopping.

BENEFITS:

- Removes the heaviest soils.
- Leaves floors bright and shiny.
- Low foam formula makes it perfect for use in auto scrubbers and rotary machines.
- Fortified with Sodium Hydroxide.
- Removes heavy grease and oils from deep cracks and imperfections in almost any floor.

Available Packages	
0360 Bulk	Bulk Tank Program
0360-55	55 Gallon Plastic Drum
0360-5	5 Gallon Plastic Pail

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area. For professional use only by trained personnel.

Dilute 50-60:1 for light soils , 40:50-1 for moderate soils, 20-40:1 for heavy soils.

FLOOR SCRUB MACHINES:

Double-scrub procedure will give best results. Lay down solution with scrubbing action and allow solution to remain on surface 5 minutes - then lower squeegee blade, scrubbing again and pick up.

CONVENTIONAL ROTARY FLOOR MACHINE:

Spray, mop or spread cleaner on surface. Scrub area and allow to remain 5 minutes. Scrub again and pick up soiled solution with wet-vacuum or mop.

MANUAL CLEANING:

Apply cleaner by spray mop or sponge and follow by aggressive double brushing or scrubbing. Pick up soiled solution with wet-vacuum, mop or wiping.

Tech Specs:

Color.....Green
Fragrance.....Faint
Form.....Liquid
Phosphates.....None
Flash Point.....212F
pH.....13.5
Specific Gravity.....1.02
Viscosity.....Thin
Foam.....Low
Biodegradable.....100%
Shelf Life.....1 Year