

sales · service · rentals Reorder No: 1085

Z-702 Industrial Strength Alkaline Vehicle Wash

WHAT IS Z-702?

A concentrated fast acting cleaner specifically formulated for the high pressure high temperature spray cleaning of cars, trucks, truck frames, painted trailers and heavy equipment. Will not harm paint. Do not allow to dry before rinsing.

BENEFITS:

- Designed for the cleaning professional.
- Specially formulated for deep penetration of dirty and weathered aluminum trailers and box trucks.
- High foaming and economical.
- Sheeting agents break water from surfaces for ease of rinsing
- Eliminates the need for strong acids and fluorides.
- Use as 2nd step in a 2 step process for heavy duty results.
- Non-Acid trailer cleaner is biodegradable and can be used in almost any pressure wash system.
- Contains no dangerous acids or abrasive chemicals.
- Will not leave behind spots or streaks on well rinsed surfaces

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended dilutions are 50-100:1. Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

RECOMMENDED USES:

Manual & Automated Systems Heavy Duty Equipment

Do not allow to dry on surfaces. Do not use in hot sun. Always predilute product before applying. Do not use on unprotected polished aluminum. May cause streaking if not used properly.

Available Packages	
1085 Bulk	Bulk Tank Program
1085-55	55 Gallon Plastic Drum
1085-5	5 Gallon Plastic Pail

Green
Odorless
Liquid
13.5-14
1.04
100%
1Year



Aqua Shine Vehicle & Fleet Cleaner

WHAT IS AQUA SHINE?

A liquid deep penetrating detergent that will remove heavy dirt and road film from painted and aluminum surfaces. Will promote oxidation removal while leaving a sheen on the vehicles surface. This product is ideal for truck wash operators who are looking for a product that is both heavy duty and will not in any way harm polished aluminum. This product is formulated especially for touchless systems, allowing for easy rinsing and quick turnover time of vehicles, however, Aqua Shine is also extremely effective for use through both cold and hot water pressure washers for both upstream and downstream applications. Leaves behind a bright, spot free surface.

BENEFITS:

- Versatile enough for both touchless systems as well as pressure washers.
- Special quick rinsing formula that allows for quick turnover of customers.
- Safe for use on all surfaces including aluminum.
- Quick & easy rinsing.
- Leaves a deep shine on all surfaces.
- After drying vehicle will be spot free.

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended dilutions are 60-100:1. Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

Do not allow to dry on surfaces. Do not use in hot sun. Always predilute product before applying. Do not use on unprotected polished aluminum. May cause streaking if not used properly.

Available Packages	
1084 Bulk	Bulk Tank Program
1084-55	55 Gallon Plastic Drum
1084-5	5 Gallon Plastic Pail

Tech Specs:	
Color	Yellow
Fragrance	Citrus
Form	
Phosphates	
Flash Point	
рН	
Specific Gravity	
Viscostiy	
Foam	
Biodegradable	0
Shelf Life	



sales · service · rentals Reorder No: 0422PC

Salt Neutralizing Salt Cleaner

What is Salt Neutralizer?

This expertly crafted salt neutralizer is designed to directly fend off the corrosive effects that de-icing agents can have on vehicles. Neutralizing the effects of salt has become increasingly more important since municipalities have changed from the traditional sand & salt method in favor of liquid brines which are typically magnesium or sodium chloride solutions. While these solutions tend to be more effective, they also tend to stick to vehicles more and can create dangerous corrosion. McHenry's Salt Neutralizer will allow you to combat these costly repairs quickly and effectively.

BENEFITS:

- Helps Neutralized the Effects of Salt
- Safe on Vehicles
- Self-Neutralizing
- 100% Biodegradable

Directions For Use

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS.

FOR ALL USES: Dilute at 90-128:1.

Available Packages	
0422PC Bulk	Bulk Tank Program
0422PC-55	55 Gallon Plastic Drum
00422PC-5	5 Gallon Plastic Pail

Tech Specs:	
Color	Blue
Fragr <mark>ance</mark>	Cherry
Form	
Phosphates	None
Flash Point	
рН	2-3
Specific Gravity	1.03
Viscosity	Thin
Foam	Moderate
Biodegradable	100%
Shelf Life	1Year



Reorder No: 2210

SaltGuard XT Metal & Vehicle Protectant

WHAT IS SALT GUARD XT?

A concentrated liquid for the removal of salt and inhibition of corrosion to a wide variety of metals, especially iron. Salt Guard XT will leave behind a temporary barrier to fight the effects of salt on metals, prolonging the quality of vehicles and salting equipment. This product is safe for use on a variety of surfaces including: aluminum, chrome, gel coats, glass, iron, paint, plastic, rubber, and stainless steel. After application, no rinsing is necessary.

BENEFITS:

- Prolongs the quality of metals and vehicles.
- Specially formulated for heavy duty equipment and salt applicators.
- Will help prevent the formation of rust.
- Reduces the maintenance costs for vehicles and equipment.
- Highly concentrated allows for multiple applications.

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Clean vehicles and surfaces before application.

Dilute Salt Guard XT with up to 20 parts water. Stronger Solutions will provide better results. Apply solution with a low or high pressure applicator. Use warm water if possible. Allow surfaces to dry.

SPECIAL NOTE:

Rinse surfaces then apply Salt Guard XT. Do not rinse after application. Regular application of Salt Guard XT will provide optimal results.

Available Packages	
2210-Bulk	Bulk Tank Program
2210-55	55 Gallon Plastic Drum
2210-5	5 Gallon Plastic Pail

Tech Specs:	
Color	
Fragran <mark>ce</mark>	
Form	Liquid
Phosphates	None
Flash Point	NA
рН	8
Specific Gravity	1.01
Foam	
Biodegradable	
Shelf Life	



Reorder No: 1009

ABX Industrial Strength Aluminum Brightener

WHAT IS ABX?

An acid based aluminum trailer cleaner for removal of road films, diesel smoke, iron oxide and white rust in just seconds. Restore the like new appearance to aluminum trailer in seconds. This product is effective when used in a two step trailer wash. Will leave trailers looking new.

BENEFITS:

- Removes dirt and stains from heavily soiled, as well as highly weathered trailers.
- Revolutionary cleaning process indicates when surface has been neutralized.
- Allows for multiple usage concentrations.
- Quick & easy rinsing.
- A great product for use as a single step or 2 step system.
- Lower levels of fluoride than conventional acid cleaners.

Available Packages	
1009 Bulk	Bulk Tank Program
1009-55	55 Gallon Plastic Drum
1009-5	5 Gallon Plastic Pail

ch Cn T۹ C F F p S

rech specs:	
ColorF	Pink
FragranceAc	idic
FormLic	
рН1 (7-8)
Specific Gravity	1.17
Biodegradable10	00%
Shelf Life1Y	'ear

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended product dilution is 20-40:1. Consult your local McHenry PCS Representative for specific use instructions.

Make sure to use proper protective clothing when applying this or any chemical.

WARNING: DO NOT USE ON POLISHED ALUMINUM. DO NOT APPLY TO, OR LET DRY ON GLASS SURFACES.



Reorder No: 1011

Polished Aluminum Cleaner & Brightener

WHAT IS POLIALUM?

A ready to use heavy duty acid cleaner for use in cleaning polished aluminum and stainless steel. This product will effectively remove heavy stains, soot and films as well as remove the corrosion and oxidation from the polished surfaces. Contains inhibitors that will protect surface from pitting and etching.

BENEFITS:

- Cleans Polished Aluminum unlike any other traditional acid product.
- Removes oxidation and white rust that are not removed with conventional acids.
- Cleans better than conventional acid products and WILL NOT etch surfaces.
- Penetrates and removes oxidation and corrosion.
- Removes heavy soot and road grime WITHOUT heavy scrubbing.
- Much safer to use and handle than conventional acid.
- Will not harm glass.
- Designed for use on Polished Aluminum and Stainless Steel Surfaces

DIRECTIONS FOR USE:

Apply PoliAlum to a cool surface under low pressure (40-50 psi). Apply bottom to top with applicator to an area that is manageable, making sure that the product does not dry on surface. To Rinse, apply cold water at high pressure to wet surface, cleaning

from bottom up making sure that the nozzle is within close proximity of the surface being cleaned. Always do a final rinse from top to bottom.

RECOMMENDED USES:

Polished Aluminum Trailers & Tanks Anodized Aluminum Wheels Restoration & Diamond Plate White Rust & Pitting

Available Packages	
1011 Bulk	Bulk Tank Program
1011-55	55 Gallon Plastic Drum
1011-5	5 Gallon Plastic Pail

Tech Specs:	
Color.	Clear
Fragran <mark>ce</mark>	Acidic
Form	
Phosphates	None
Flash Point	212°F
рН	1
Specific Gravity	1.03
Viscosity	
Foam	Moderate
Biodegradable	100%
Shelf Life	1Year



sales · service · rentals Reorder No: 4664

Super Spray Wax & Protectant

WHAT IS SUPER SPRAY WAX?

A premium cherry scented concentrated drying agent and spray wax. This product will deliver quality beading and drying at an economical dilution. Versatile enough to be used in almost any car wash application. Water breaks quickly from surface and will not leave behind "snail trails".

BENEFITS:

- Cherry Scented.
- Economical use.
- Water beads almost instantly from surfaces.
- Great for use in hard water applications to improve wash.
- Can be used in any wash system.
- Performance is not effected by climate, season, or temperature.

DIRECTIONS FOR USE:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read SDS and test in a small inconspicuous area.

Recommended dilutions are 150-250:1. Use as a protector for equipment between washes. Consult your local McHenry PCS Representative for specific use instructions. Make sure to use proper protective clothing when applying this or any chemical.

Available Packages	
4664 Bulk	Bulk Tank Program
4664-55	55 Gallon Plastic Drum
4664-5	5 Gallon Plastic Pail

.Red
herry
iquid
7-8
0.98
100%
Year